

COMP MUZZLE BRAKE - 4 PORT - GRN - MDT - Comp Muzzle Brake - 4 Port - .338 - 3/4-24 - GRN

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

The MDT [COMP BRAKE] was designed from the ground up by our sponsored shooter teams requirements, high tech mach flow gas simulations and countless hours of testing. This muzzle brake is the most effective brake currently available that also provides the least concussion to the shooter and spotter, by redirecting gas flow, allowing you to watch bullet flight and monitor hits and misses on target.

Features

- 4 ports, strategically cut at varying angles to maximize recoil reduction as well as minimizing shooter concussion
- Forward facing "disruptor" ports to better deflect gas away from the shooter
- Tuneable upwards vented ports that can be open or closed with a slider mechanism for straighter rifle tracking
- Serrated baffle tips to for improved gas flow and lower sound generation
- Caliber specific bores for calibers ranging from .224-.338 cal
- Multiple thread sizes available for each caliber configuration
- Optimized for commonly available PRS calibers such as the 6BR, 6mm Creedmoor and 6x47 Lapua (as well as their variants)
- Recessed target crown to reduce exit muzzle disturbance and protect secondary crown from damage
- Purpose designed, self timing lock nut that reduces run-out, increases holding strength and is designed for use with MTU contour muzzles

NO IMAGE
AVAILABLE

Dimensions

- 78 mm (3.1") long* x 32 mm (1.25") wide x 28 mm (1.1") wide
- Weight: 0.44 lbs / 200.7 g
- Material: High Strength, Nitrided Steel

Attributes

- Name: [MDT - Comp Muzzle Brake - 4 Port - .338 - 3/4-24 - GRN](#)
- Manufacturer: [MDT](#)
- Product no.: EU2009751
- Mfr. No.: 107465-GRN
- Caliber: 338 Caliber
- Colour: Green
- Material: Nitrided Steel
- Threads: 3/4-28
- Delivery weight: 0.23kg
- Shipping height: 60mm
- Shipping width: 60mm
- Shipping length: 191mm
- UPC: 709951101834

Table of Contents

- Startpage
- MDT Comp Muzzle Brake Safety Instruction Guide
- About Us

MDT Comp Muzzle Brake Safety Instruction Guide

Introduction

Thank you for choosing the MDT Comp Muzzle Brake. This product is designed to enhance your shooting experience by effectively reducing recoil and minimizing shooter concussion. However, it is essential to follow safety guidelines to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always follow the manufacturer's instructions and guidelines for use.
- Ensure that the muzzle brake is compatible with your firearm's specifications.
- Regularly inspect the muzzle brake for any signs of wear or damage before use.
- Keep the muzzle brake out of reach of children and unauthorized users.
- Use appropriate protective gear, including eye and ear protection, when operating firearms equipped with this muzzle brake.
- Be aware of your surroundings and ensure that you have a safe shooting environment.

Specific Safety Precautions for Use

• Potential Hazards:

- Recoil: The muzzle brake is designed to reduce recoil, but improper use may still result in unexpected movement of the firearm.
- Gas Flow: The design of the muzzle brake redirects gas flow, which may affect nearby individuals if not used in a safe direction.
- Noise: The operation of the muzzle brake can produce loud noises; always wear hearing protection.

• Instructions to Avoid Hazards:

- Always point the muzzle brake in a safe direction when loading or unloading your firearm.
- Ensure that the muzzle brake is securely attached to your firearm before use.
- Avoid using the muzzle brake in crowded areas or where bystanders may be affected by gas flow or noise.
- Be mindful of the shooting position and angle to optimize performance and safety.

• Age Specific Warnings:

- This product is not intended for use by individuals under the age of 18 without adult supervision.

Instructions for Installation and Usage

• Installation:

1. Ensure that your firearm is unloaded and pointed in a safe direction.
2. Remove any existing muzzle device from the firearm.
3. Clean the muzzle threads of your firearm to ensure proper fit.
4. Screw the MDT Comp Muzzle Brake onto the muzzle threads and tighten it securely.
5. Verify that the muzzle brake is aligned correctly and does not interfere with the operation of the firearm.

• Usage:

- Before shooting, check the muzzle brake to ensure it is secure.

- Use the adjustable slider mechanism to tune the upward vented ports according to your preference.
- Monitor the performance and make adjustments as necessary for optimal tracking and recoil management.
- After use, inspect the muzzle brake for any signs of damage or wear.

Disposal Instructions

- Dispose of the product responsibly in accordance with local regulations.
- If the muzzle brake is damaged or no longer usable, do not attempt to repair it; instead, dispose of it properly.
- Recycle materials when possible, and ensure that hazardous materials are handled according to local waste disposal guidelines.

Contact Information for Further Support

For any inquiries regarding the safety or performance of the MDT Comp Muzzle Brake, please refer to the manufacturer's contact details provided with the product packaging.

By following these guidelines, you can ensure a safe and enjoyable experience with your MDT Comp Muzzle Brake. Always prioritize safety and adhere to local laws and regulations regarding firearms and firearm accessories.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk