

XRS Complete Chassis System Remington - MDT XRS Chassis - REM700 SA LH

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

Scope (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

1. 32.25" chassis system

The XRS Chassis is designed for shooters that want the fit and feel of a traditional shaped rifle stock with the benefits of a modern precision rifle

2. Starting at 1.7kg

Chassis system. Each XRS Chassis is constructed from a full-length CNC (depending on rifle model) aircraft grade aluminum wearing high strength textured polymer panels for insulation from the elements. The precision

3. Gun compatibility

Compatible only with the included XRS chassis. The XRS chassis features a replaceable over molded and textured grip system, with both an angled grip and a vertical grip included in box.

NO IMAGE
AVAILABLE

The XRS Chassis is the most advanced and configurable crossover stock on the market and is the ideal performance upgrade for any factory rifle or foundation for a custom rifle build. Weighing in at 1.7kg (depending on inlet), the XRS is ideal for both hunting or target rifles. The XRS features adjustable length of pull via spacers from 13.25" to 15+" and a quick adjust cheek piece to adjust for scope height over bore. The XRS accepts standard AICS pattern magazines and has an easy to manipulate ambidextrous magazine latch. The generous 12" long Forend comes with M-LOK slots built in for accessory mounting and attachment of ARCA or picatinny rails.

Specifications

Attributes

- Name: [MDT XRS Chassis - REM700 SA LH](#)
- Manufacturer: [MDT](#)
- Product no.: EU2010336
- Mfr. No.: 104934-BLK
- Action Type: Long
- Colour: Black
- Hand: -
- Hand (RH LH): Left
- Material: Aluminum
- Model: 700
- Style: Chassis
- Weapon type: Remington
- Delivery weight: 2.27kg
- Shipping height: 70mm
- Shipping width: 184mm
- Shipping length: 908mm
- UPC: 682157407842

Table of Contents

- Startpage
- MDT XRS Complete Chassis System Safety Instructions
- About Us

MDT XRS Complete Chassis System Safety Instructions

Introduction

Thank you for choosing the MDT XRS Complete Chassis System for your Remington Model 700 SA LH rifle. This safety instruction guide is designed to ensure the safe and effective use of your new chassis system. Please read and follow all instructions carefully to maximize your safety and the performance of your product.

General Safety Guidelines

- Always follow local laws and regulations regarding firearms and accessories.
- Ensure that the product is used only for its intended purpose.
- Keep the chassis system out of reach of children and unauthorized users.
- Regularly inspect the chassis system for signs of wear or damage before use.
- Do not modify the chassis system in any way that could compromise its safety or functionality.
- Report any unsafe conditions or accidents related to the product to the appropriate authorities.

Specific Safety Precautions for Use

- **Avoid Overloading:** Do not exceed the weight limits specified for the chassis system.
- **Grip Handling:** Always use the provided grips when handling the chassis to ensure proper control.
- **Magazine Safety:** Ensure that the magazine is securely latched before handling the rifle.
- **Cheek Piece Adjustment:** Adjust the cheek piece carefully to avoid pinching or injury.
- **Forend Use:** When mounting accessories on the forend, ensure that they are securely attached to prevent accidents.

Instructions for Installation and Usage

1. Installation:

- Ensure that the rifle is unloaded before beginning the installation.
- Remove the existing stock from your Remington Model 700 SA LH rifle.
- Align the action of the rifle with the Vblock bedding system of the XRS Chassis.
- Secure the action using the provided screws, ensuring that they are tightened to the manufacturer's specifications.
- Attach the forend to the chassis by aligning it with the MLOK slots and securing it with the appropriate hardware.
- Install the grip of your choice (angled or vertical) by following the provided instructions in the box.

2. Usage:

- Adjust the length of pull using the spacers provided. Length can be adjusted from 13.25" to 15".
- Adjust the cheek piece to accommodate your scope height over the bore.
- Load the magazine and ensure it is properly seated in the chassis.
- Always check the stability of the chassis and the secure attachment of all components before use.

Disposal Instructions

- Dispose of the chassis system and any packaging materials in accordance with local waste disposal regulations.
- Do not dispose of the chassis in regular household waste if it contains any hazardous materials.
- Contact your local waste management authority for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the MDT XRS Complete Chassis System, please refer to the official MDT website or contact your local authorized dealer for assistance. Ensure that you have your product information ready for a more efficient support experience.

By following these safety instructions, you can ensure a safe and enjoyable experience with your MDT XRS Complete Chassis System. Thank you for your commitment to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk