

3 x56 - Falke 3-12x56 L4 Scope

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The Falke 3-12x56 L4 rifle scope is a fast all-round rifle scope with decades of proven magnification. With its classy, slightly matte black finish and shapely design, the Falke 3-12x56 L4 fits the most common rifle models of all well-known manufacturers.

The high twilight performance with the dimmable L4 reticle is appreciated by hunters for raised hide hunting. Solid screw caps protect the finely adjustable 1/4 MOA click adjustment.

NO IMAGE
AVAILABLE

Attributes

- Name: [Falke 3-12x56 L4 Scope](#)
- Manufacturer: [FALKE](#)
- Product no.: EU2011193
- Mfr. No.: FAL32-0060
- Finish: Black
- Material: Aluminum
- Max Magnification: 12x
- Min. Magnification: 3x
- Objective Size: 56mm
- Delivery weight: 0.7kg
- Shipping length: 330mm
- UPC: 731840871665

Table of Contents

- Startpage
- Falke 312x56 L4 Scope Safety Instruction Guide
- About Us

Falke 312x56 L4 Scope Safety Instruction Guide

Introduction

Thank you for choosing the Falke 312x56 L4 rifle scope. This guide provides essential safety instructions to ensure the proper and safe use of your new scope. Please read this manual carefully and follow all guidelines to maximize your safety and the performance of your product.

General Safety Guidelines

- Ensure the scope is used only for its intended purpose as a rifle scope.
- Always handle firearms and scopes with care and respect.
- Keep the scope out of reach of children and unauthorized users.
- Regularly inspect the scope for any signs of damage or wear.
- Do not modify the scope in any way, as this may compromise safety and performance.
- Ensure that you are familiar with local laws and regulations regarding the use of firearms and scopes.

Specific Safety Precautions for Use

- Always wear appropriate eye protection when using the scope.
- Do not look directly at the sun through the scope, as this can cause permanent eye damage.
- Ensure that the mounting of the scope is secure before use.
- Be aware of your surroundings and ensure a clear line of sight before aiming.
- Do not use the scope if it has been dropped or damaged until it has been inspected by a qualified professional.
- Keep the scope clean and free from debris to maintain optimal performance.

Instructions for Installation and Usage

Installation

1. Mounting the Scope:

- Select a suitable mounting base compatible with your firearm.
- Securely attach the mounting rings to the base.
- Place the scope in the rings and adjust for proper eye relief.
- Tighten the mounting rings evenly to avoid misalignment.

2. Zeroing the Scope:

- Once mounted, take the rifle to a secure shooting range.
- Use a stable rest to support the rifle.
- Fire a group of shots at a target to determine the point of impact.
- Adjust the windage and elevation turrets accordingly to align the point of impact with the point of aim.

Usage

- Always ensure the rifle is pointed in a safe direction when using the scope.
- Adjust the magnification according to the distance of your target.
- Utilize the dimmable L4 reticle for improved visibility in low light conditions.
- Regularly check the scope's adjustments and reticle for accuracy throughout your shooting session.

Disposal Instructions

- Dispose of the scope in accordance with local regulations.
- Do not dispose of the scope in regular household waste.
- If the scope is damaged beyond repair, consult local hazardous waste disposal guidelines for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety, product performance, or to report an unsafe product, please refer to the designated EU contact point for assistance.

Thank you for your attention to these safety guidelines. We wish you safe and enjoyable shooting experiences with your Falke 312x56 L4 rifle scope.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk