

Tactical M-LOK Picatinny Rail 2.9"

[Rifle Parts](#) > [Forend & Handguard Parts](#) > [Handguard & Rail Accessories](#) > [Accessory Rails](#)

They are machined from 6061-T6 aluminum, then hard-anodized black for a durable finish.

They come in a variety of lengths, feature an integral QD flush cup sling mount and include the necessary hardware for mounting to M-LOK compatible attachment systems.

They are machined from 6061-T6 aluminum, then hard-anodized black for a durable finish.

NO IMAGE
AVAILABLE

They come in a variety of lengths, feature an integral QD flush cup sling mount and include the necessary hardware for mounting to M-LOK compatible attachment systems.

Attributes

- Name: [Tactical M-LOK Picatinny Rail 2.9"](#)
- Manufacturer: [GERMAN TACTICAL SYSTEMS](#)
- Product no.: EU2011218
- Mfr. No.: GTS-7476-BLK
- Colour: Black
- Material: Aluminum
- Style: M-LOK
- Delivery weight: 0.1kg
- Shipping height: 10mm
- Shipping width: 20mm
- Shipping length: 75mm

Table of Contents

- Startpage
- Tactical MLOK Picatinny Rail Safety Instruction Guide
- About Us

Tactical MLOK Picatinny Rail Safety Instruction Guide

Introduction

Thank you for purchasing the Tactical MLOK Picatinny Rail. This product is designed for durability and versatility, crafted from highquality 6061T6 aluminum and finished with a hardanodized black coating. To ensure safe and effective use, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure the product is compatible with your firearm or equipment before use.
- Always handle firearms and accessories with care and follow proper safety protocols.
- Inspect the Tactical MLOK Picatinny Rail for any damage before installation.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe products or incidents to local authorities.
- Stay informed about product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only the hardware provided for installation; do not substitute with other materials.
- Ensure the rail is securely mounted before attaching any accessories.
- Do not exceed the weight limit specified for the rail to avoid failure.
- Avoid using the product in extreme conditions without proper testing for safety.
- Regularly check the mounting hardware and rail for signs of wear or damage.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools (e.g., screwdriver, wrench).
- Ensure your workspace is clean and free from distractions.

2. Installation:

- Locate the MLOK slots on your compatible system.
- Align the Tactical MLOK Picatinny Rail with the slots.
- Insert the provided mounting hardware through the rail and into the MLOK slots.
- Tighten the hardware securely using the appropriate tool. Ensure it is firmly in place but do not overtighten.

3. Usage:

- Attach accessories to the Picatinny rail as per their respective instructions.
- After installation, perform a safety check to ensure all attachments are secure.
- Familiarize yourself with the proper handling of any accessories mounted on the rail.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding aluminum and metal waste.
- Do not dispose of the product in household waste.
- Recycle the product if possible, ensuring that all components are properly sorted.

Contact Information for Further Support

For any inquiries or concerns regarding the Tactical MLOK Picatinny Rail, please refer to the manufacturer's contact details provided with your product packaging. Always ensure you have the latest information regarding safety and product updates.

Thank you for your attention to these safety instructions. Enjoy the enhanced functionality and reliability that the Tactical MLOK Picatinny Rail brings to your equipment.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk