

Tactical M-LOK Picatinny Rail 3.7"

[Rifle Parts](#) > [Forend & Handguard Parts](#) > [Handguard & Rail Accessories](#) > [Accessory Rails](#)

They are machined from 6061-T6 aluminum, then hard-anodized black for a durable finish.

They come in a variety of lengths, feature an integral QD flush cup sling mount and include the necessary hardware for mounting to M-LOK compatible attachment systems.

They are machined from 6061-T6 aluminum, then hard-anodized black for a durable finish.

NO IMAGE
AVAILABLE

They come in a variety of lengths, feature an integral QD flush cup sling mount and include the necessary hardware for mounting to M-LOK compatible attachment systems.

Attributes

- Name: [Tactical M-LOK Picatinny Rail 3.7"](#)
- Manufacturer: [GERMAN TACTICAL SYSTEMS](#)
- Product no.: EU2011219
- Mfr. No.: GTS-7477-BLK
- Colour: Black
- Material: Aluminum
- Style: M-LOK
- Delivery weight: 0.3kg
- Shipping height: 10mm
- Shipping width: 20mm
- Shipping length: 95mm

Table of Contents

- Startpage
- Tactical MLOK Picatinny Rail Safety Instructions
- About Us

Tactical MLOK Picatinny Rail Safety Instructions

Introduction

Thank you for choosing the Tactical MLOK Picatinny Rail. This product is designed for durability and functionality, allowing you to enhance your tactical gear. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Always ensure that the product is suitable for your specific application and compatible with your equipment.
- Inspect the product for any visible damage before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all local laws and regulations regarding the use of tactical accessories.

Specific Safety Precautions for Use

- Avoid using the rail for purposes other than its intended design.
- Ensure that all mounting hardware is securely fastened before use.
- Regularly check the integrity of the rail and its attachments during use.
- Do not exceed the weight limit specified by the manufacturer to prevent failure.
- Use caution when handling sharp tools during installation.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench and appropriate mounting hardware.
- Ensure that the installation area is clean and free from debris.

2. Installation Steps:

- Identify the MLOK compatible attachment system on your equipment.
- Align the Tactical MLOK Picatinny Rail with the MLOK slots.
- Insert the mounting hardware into the slots and tighten securely using a torque wrench as per the manufacturer's specifications.
- Ensure that the QD flush cup sling mount is correctly positioned for optimal use.

3. Usage:

- Once installed, test the stability of the rail by applying moderate pressure.
- Attach accessories as needed, ensuring they are compatible and securely mounted.
- Regularly inspect the rail and attachments during use to ensure safety.

Disposal Instructions

- Follow local regulations for the disposal of aluminum products.
- Do not dispose of the product in regular household waste.
- Consider recycling the product where facilities are available.

Contact Information for Further Support

For any questions or concerns regarding the Tactical MLOK Picatinny Rail, please refer to the manufacturer's contact information provided with the product packaging.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk