

Chassis-Field Stock - Ruger American- SA- LH-BLK

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The included sling swivel studs and an M-LOK forend allow you to mount any accessory you need to get the job done. Add a sling and bipod for a backcountry hunt or set up in a blind with an ARCA rail and tripod. AICS magazine compatibility ensures you're carrying the right amount of ammo. The adjustable buttstock cheek riser and length of pull spacers allow you to look through your scope with your head in the same position every time. Find targets faster and maintain a more repeatable shooting position.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT Chassis-Field Stock - Ruger American- SA- LH-BLK](#)
- Manufacturer: [MDT](#)
- Product no.: EU2012404
- Mfr. No.: 108638-BLK
- Colour: Black
- Material: 6061 Aluminum
- Model: American
- Style: Chassis
- Weapon type: Ruger
- Delivery weight: 1.3kg
- Shipping height: 150mm
- Shipping width: 200mm
- Shipping length: 810mm

Table of Contents

- [Startpage](#)
- [MDT ChassisField Stock Safety Instructions](#)
- [About Us](#)

MDT ChassisField Stock Safety Instructions

Introduction

Thank you for purchasing the MDT ChassisField Stock for the Ruger American SA LH. This guide provides essential safety instructions and guidelines for the proper use, installation, and maintenance of your product. Please read this document carefully to ensure safe and effective use.

General Safety Guidelines

- Ensure that all users of the MDT ChassisField Stock are familiar with firearm safety practices.
- Always treat every firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Keep your finger off the trigger until you are ready to shoot.
- Store the MDT ChassisField Stock and any associated firearms securely to prevent unauthorized access, especially by children.
- Regularly inspect the MDT ChassisField Stock for any signs of wear or damage before use.
- Use only compatible accessories and ammunition as specified by the manufacturer.
- Be aware of your surroundings and ensure a clear shooting area.

Specific Safety Precautions for Use

- **Sling Swivel Studs:** Ensure that any accessories attached via the sling swivel studs are securely fastened to prevent accidental detachment during use.
- **MLOK Forend:** When mounting accessories to the MLOK forend, follow the manufacturer's instructions for installation to avoid improper attachment.
- **Bipod Use:** Ensure that the bipod is properly adjusted and locked in place before use to maintain stability.
- **ARCA Rail and Tripod:** When using a tripod with the ARCA rail, ensure that the tripod is stable and securely attached to prevent tipping.
- **AICS Magazine Compatibility:** Only use AICS compatible magazines to avoid feeding issues or malfunctions.
- **Adjustable Buttstock:** Adjust the buttstock to fit your shoulder comfortably. Ensure that the cheek riser is securely locked in place to avoid movement during use.

Instructions for Installation and Usage

1. Installation of Accessories:

- Refer to the manufacturer's instructions for installing any accessories on the MDT ChassisField Stock.
- Ensure that all screws and fittings are tightened securely to prevent any movement during operation.

2. Adjusting the Buttstock:

- To adjust the length of pull, locate the adjustment mechanism on the buttstock.
- Slide the buttstock to the desired length and ensure it is locked in place.
- Adjust the cheek riser to align your eye with the scope for optimal sighting.

3. Using the Sling:

- Attach the sling to the sling swivel studs securely.
- Adjust the sling length to ensure comfort and ease of access.

4. Using the Bipod:

- Attach the bipod according to the manufacturer's instructions.
- Adjust the legs of the bipod to the desired height and ensure they are locked in place.

5. Safety Checks Before Use:

- Before using the MDT ChassisField Stock, conduct a safety check to ensure that all components are functioning correctly.
- Inspect the firearm and ensure it is unloaded before attaching or detaching the stock.

Disposal Instructions

- Dispose of the MDT ChassisField Stock in accordance with local regulations regarding the disposal of aluminum and plastic materials.
- Do not dispose of the product in regular household waste. Instead, take it to a designated recycling facility that accepts aluminum products.
- Ensure that any accessories or components that are no longer in use are also disposed of safely and responsibly.

Contact Information for Further Support

For any questions or concerns regarding the MDT ChassisField Stock, please refer to the manufacturer's website or customer service for support. Ensure that you have your product details on hand for efficient assistance.

By following these safety instructions and guidelines, you can ensure a safe and enjoyable experience with your MDT ChassisField Stock. Always prioritize safety and responsible handling of firearms and accessories.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk