

# Adapter (tapered) 1/2x20 UNF

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

Conical thread adapter for the Sinus Brake/Benchrest Barrel Tuner which is screwed onto the muzzle thread. A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Note: Please order this separately

NO IMAGE  
AVAILABLE

## Attributes

- Name: [Adapter \(tapered\) 1/2x20 UNF](#)
- Manufacturer: [SINUS BRAKE](#)
- Product no.: EU2012620
- Mfr. No.: SB02001
- Colour: Black
- Material: Chrom-Nickel
- Thread: 1/2x20 UNF
- Delivery weight: 0.05kg
- Shipping height: 29mm
- Shipping width: 29mm
- Shipping length: 9mm

# Table of Contents

- Startpage
- Safety Instruction Guide for Tapered Adapter 1/2x20 UNF
- About Us

# Safety Instruction Guide for Tapered Adapter 1/2x20 UNF

## Introduction

Thank you for choosing the Tapered Adapter 1/2x20 UNF, designed for use with the Sinus Brake/Benchrest Barrel Tuner. This guide provides essential safety instructions to ensure safe and effective use of the product. Please read this manual carefully before installation and use.

## General Safety Guidelines

- Always ensure that the adapter is compatible with your equipment before use.
- Inspect the adapter for any visible damage or defects before installation.
- Use the adapter only for its intended purpose as specified in this guide.
- Keep the adapter out of reach of children and vulnerable individuals.
- If you experience any difficulties or have questions, seek professional assistance.

## Specific Safety Precautions for Use

- Ensure that the joint hook wrench used has a 29mm diameter pin to fit the adapter properly.
- Do not use excessive force when screwing the adapter onto the muzzle thread to avoid damage.
- Never attempt to modify or alter the adapter in any way.
- Avoid exposure to extreme temperatures or corrosive substances that may affect the material.
- If the adapter shows signs of wear or damage, discontinue use immediately and replace it.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools, including the joint hook wrench with a 29mm diameter pin.

### 2. Installation

- Align the tapered adapter with the muzzle thread of your firearm.
- Carefully screw the adapter onto the muzzle thread by hand until it is snug.
- Use the joint hook wrench to securely tighten the adapter, ensuring it is firmly in place without overtightening.

### 3. Usage

- Once installed, the adapter can be used with the Sinus Brake/Benchrest Barrel Tuner.
- Follow the instructions provided with the tuner for optimal performance.

### 4. PostUse

- After use, check the adapter for any signs of wear or damage.
- If any issues are found, replace the adapter before further use.

## Disposal Instructions

- Dispose of the adapter in accordance with local regulations for metal recycling.
- Do not dispose of the adapter in regular household waste.

## **Contact Information for Further Support**

For any safety inquiries or additional support, please refer to the contact information provided by your retailer or manufacturer.

## **Conclusion**

By following these safety instructions, you can ensure the safe and effective use of the Tapered Adapter 1/2x20 UNF. Always prioritize safety and consult professionals if you have any uncertainties regarding the use of this product. Thank you for your attention to these guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)