

Adapter (tapered) M18x1

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

Conical thread adapter for the Sinus Brake/Benchrest Barrel Tuner which is screwed onto the muzzle thread. A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Note: Please order this separately

NO IMAGE
AVAILABLE

Attributes

- Name: [Adapter \(tapered\) M18x1](#)
- Manufacturer: [SINUS BRAKE](#)
- Product no.: EU2012626
- Mfr. No.: SB02013
- Colour: Black
- Material: Chrom-Nickel
- Thread: M18x1
- Delivery weight: 0.05kg
- Shipping height: 29mm
- Shipping width: 29mm
- Shipping length: 9mm

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Adapter \(tapered\) M18x1](#)
- [About Us](#)

Safety Instruction Guide for Adapter (tapered) M18x1

Introduction

Thank you for choosing the Adapter (tapered) M18x1. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of the product. Please read this document carefully before using the adapter.

General Safety Guidelines

- Ensure that the adapter is used only for its intended purpose as described in this guide.
- Always follow the installation and usage instructions to avoid accidents or injuries.
- Regularly inspect the adapter for any signs of wear or damage before use.
- Keep the adapter out of reach of children and other vulnerable individuals.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about recall updates by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use a joint hook wrench with a 29mm diameter pin to fit the adapter securely onto the muzzle thread.
- Do not attempt to modify the adapter in any way, as this may compromise its safety and effectiveness.
- Ensure that the adapter is securely fastened before use to prevent it from loosening during operation.
- Avoid using the adapter in wet or damp conditions to reduce the risk of slipping or accidents.
- If you experience any difficulties during installation or use, stop immediately and consult a qualified professional.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the muzzle thread of your device is clean and free of debris.
- Gather the necessary tools, including the joint hook wrench with a 29mm diameter pin.

2. Installation:

- Align the adapter with the muzzle thread.
- Gently screw the adapter onto the muzzle thread by turning it clockwise.
- Use the joint hook wrench to tighten the adapter securely, but do not overtighten, as this may damage the threads.

3. Usage:

- Once installed, ensure that the adapter remains secure during operation.
- Monitor the adapter for any signs of loosening or wear while in use.
- If the adapter becomes loose, stop using the device immediately and retighten the adapter using the joint hook wrench.

4. PostUsage:

- After use, remove the adapter if not needed and store it in a safe place.
- Inspect the adapter for any damage before storing it away.

Disposal Instructions

- Dispose of the adapter in accordance with local waste disposal regulations.
- Do not dispose of the adapter in regular household waste if it contains any hazardous materials.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any safety inquiries or further support regarding the Adapter (tapered) M18x1, please refer to the manufacturer's contact point or your local authority. Ensure you have the product information ready for any inquiries.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk