

Adapter (tapered) M18x1.5

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

Conical thread adapter for the Sinus Brake/Benchrest Barrel Tuner which is screwed onto the muzzle thread. A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Note: Please order this separately

NO IMAGE
AVAILABLE

Attributes

- Name: [Adapter \(tapered\) M18x1.5](#)
- Manufacturer: [SINUS BRAKE](#)
- Product no.: EU2012630
- Mfr. No.: SB02025
- Colour: Black
- Material: Chrom-Nickel
- Thread: M18x1.5
- Delivery weight: 0.05kg
- Shipping height: 29mm
- Shipping width: 29mm
- Shipping length: 9mm

Table of Contents

- Startpage
- Safety Instruction Guide for Adapter (Tapered) M18x1.5
- About Us

Safety Instruction Guide for Adapter (Tapered) M18x1.5

Introduction

Thank you for choosing the Adapter (Tapered) M18x1.5. This guide provides essential safety instructions and information for the proper use, installation, and disposal of the product. Please read this document carefully to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in this manual.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the adapter for any signs of wear or damage before each use.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls by checking updates on the EU Safety Gate platform.

Specific Safety Precautions for Use

- Use a joint hook wrench with a 29mm diameter pin to fit the adapter securely.
- Do not exceed the recommended torque specifications when installing the adapter to avoid damage.
- Ensure that the muzzle thread is clean and free of debris before installation.
- Avoid using the adapter in wet or damp conditions to prevent slips and accidents.
- If you experience any difficulty during installation or use, cease operation immediately and consult a professional.

Instructions for Installation and Usage

1. Preparation:

- Ensure that you have the necessary tools, including a joint hook wrench with a 29mm diameter pin.
- Check that the muzzle thread is compatible with the M18x1.5 thread of the adapter.

2. Installation:

- Clean the muzzle thread to remove any dirt or debris.
- Align the adapter with the muzzle thread.
- Using the joint hook wrench, carefully screw the adapter onto the muzzle thread, ensuring it is secure but not overtightened.

3. Usage:

- Once installed, the adapter can be used with the Sinus Brake/Benchrest Barrel Tuner as intended.
- Always ensure that the adapter is securely fitted before use.

4. PostUse:

- After use, inspect the adapter for any signs of wear or damage.
- Store the adapter in a dry and safe location.

Disposal Instructions

- Dispose of the adapter responsibly in accordance with local regulations.
- Do not dispose of the adapter in household waste.
- Check with local waste management services for proper recycling or disposal methods.

Contact Information for Further Support

For any inquiries regarding safety, installation, or usage of this product, please contact the manufacturer or your local distributor. Ensure that you have the product information available for reference.

By following these guidelines, you can ensure the safe and effective use of the Adapter (Tapered) M18x1.5. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk