

MV3 Picatinny Mount - MDT MV3 Inverted 90 Picatinny Mount

[Optics & Mounting](#) > [Optic Accessories](#) > [Scope Anti-Cant Devices](#)

VERTICALLY MOUNT YOUR LEVEL and TIMER DOWNWARD

Can be mounted to the left or right side on any picatinny rail.

INCLUDED

MDT MV3 Inverted 90 Picatinny Mount | 8-32 screw

1. Requires 0.3 of clearance between the scope and top of picatinny rail.
2. Recommended for chassis or stocks that are 2" wide or less.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT MV3 Inverted 90 Picatinny Mount](#)
- Manufacturer: [MDT](#)
- Product no.: EU2012662
- Mfr. No.: 108020-BLK
- Colour: Black
- Style: Picatinny
- Delivery weight: 0.04kg
- Shipping height: 22mm
- Shipping width: 105mm
- Shipping length: 127mm
- EAN: 0723905908614

Table of Contents

- Startpage
- MDT MV3 Inverted 90 Picatinny Mount Safety Instruction Guide
- About Us

MDT MV3 Inverted 90 Picatinny Mount Safety Instruction Guide

Introduction

Thank you for choosing the MDT MV3 Inverted 90 Picatinny Mount. This guide provides essential safety instructions and information to ensure the safe and effective use of your product. Please read this manual carefully before installation and usage.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Always inspect the mount for any signs of damage or wear before each use.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all instructions provided in this guide to minimize risks.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Stay informed about recalls or safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

○ Potential Hazards:

- Improper installation may lead to equipment failure or accidents.
- Misuse of the mount can result in damage to your scope or firearm.

○ Avoiding Hazards:

- Always ensure that the mount is securely fastened to the Picatinny rail.
- Do not exceed the recommended clearance of 0.3 inches between the scope and the top of the Picatinny rail.
- Use the product only with compatible chassis or stocks that are 2 inches wide or less.

○ Age Specific Warnings:

- This product is not intended for use by individuals under the age of 18 without adult supervision.

Instructions for Installation and Usage

1. Installation:

- Select a suitable location on the Picatinny rail for mounting.
- Ensure the area is clean and free from debris.
- Align the MDT MV3 Inverted 90 Picatinny Mount with the desired position.
- Use the included 832 screw to securely attach the mount to the rail.
- Verify that the mount is tightly secured before proceeding.

2. Usage:

- Attach your level and timer to the mount as per the manufacturer's instructions.
- Ensure that the level and timer are positioned downward for optimal functionality.
- Regularly check the tightness of the mount and the stability of attached devices during usage.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in general household waste.
- Contact your local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any inquiries or support regarding the MDT MV3 Inverted 90 Picatinny Mount, please refer to the manufacturer's website or customer service for detailed assistance.

Thank you for your attention to these safety instructions. Enjoy your MDT MV3 Inverted 90 Picatinny Mount responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk