

Marlin 1894 &W 1854 "Flyweight" Easy Loading Gate - Marlin 1894 Smith and Wesson 1854 Load Gate (Silver)

[Rifle Parts](#) > [Bolt Parts](#) > [Breech Bolts & Blocks](#)

The RPP Flyweight Loading Gate makes reloading your Marlin 1894 or 1854 rifle smoother and noticeably easier. Precision-machined from premium 7075-T6 aluminum and hard-anodized for exceptional durability, it offers a significant upgrade over factory loading gates.

Features:

Compatibility: Fits Marlin 1894 and Smith and Wesson 1854 rifles chambered in .357 Mag, .44 Mag, and .45 Colt

Lightweight Operation: Reduces spring weight by up to 70% — requiring only 1.5 lbs of force to open

Optimized Cartridge Path: Improved visibility and a smoother feeding angle for faster, more reliable loading

Quick Installation: Installs in 10-15 minutes with basic tools

Color: Silver hard-anodized finish

SASS Approved: Fully compliant with Single Action Shooting Society standards — ideal for competitive shooters

NO IMAGE
AVAILABLE

Attributes

- Name: [Marlin 1894 Smith and Wesson 1854 Load Gate \(Silver\)](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014805
- Mfr. No.: 20
- Weapon type: Marlin
- Delivery weight: 0.23kg
- Shipping height: 25.4mm
- Shipping width: 152.4mm
- Shipping length: 203.2mm
- UPC: 850078124265

Table of Contents

- Startpage
- Safety Instruction Guide for Marlin 1894 & W 1854 "Flyweight" Easy Loading Gate
- About Us

Safety Instruction Guide for Marlin 1894 & W 1854 "Flyweight" Easy Loading Gate

Introduction

Thank you for choosing the Marlin 1894 & W 1854 "Flyweight" Easy Loading Gate. This product is designed to enhance the reloading experience for your Marlin 1894 or Smith and Wesson 1854 rifle. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- **Product Safety:** Ensure that you use the Flyweight Loading Gate only as intended. Familiarize yourself with all safety features and guidelines.
- **Enhanced Recalls:** Stay informed about any product recalls. Check the EU Safety Gate platform for updates related to this product.
- **Online Shopping:** If purchased online, ensure that the retailer complies with safety requirements.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure that it is stored out of reach of minors.
- **EU Contact Point:** For any safety inquiries, refer to the contact information provided by the retailer or manufacturer.
- **Rapid Alerts:** Keep an eye on the Safety Gate system for any alerts regarding the safety of this product.

Specific Safety Precautions for Use

- **Compatibility:** Ensure that the Flyweight Loading Gate is compatible with your Marlin 1894 and Smith and Wesson 1854 rifles chambered in .357 Mag, .44 Mag, and .45 Colt.
- **Installation:** Follow the installation instructions carefully to avoid improper fitting that may cause malfunctions.
- **Force Requirement:** The loading gate is designed to reduce spring weight by up to 70%. Use only the recommended force of 1.5 lbs to open the gate.
- **Visibility:** Be aware of the optimized cartridge path for improved visibility. Ensure that the loading area is clear before reloading.
- **Regular Checks:** Inspect the loading gate regularly for wear and tear. Replace if damaged or malfunctioning.
- **Safe Handling:** Always handle your rifle with care, ensuring that it is pointed in a safe direction when loading or unloading.

Instructions for Installation and Usage

1. **Gather Tools:** You will need basic tools for installation. Ensure you have a screwdriver and any other necessary tools on hand.
2. **Remove Old Loading Gate:** Carefully remove the existing loading gate from your rifle. Follow the manufacturer's instructions for safe removal.
3. **Install the Flyweight Loading Gate:**
 - Align the new loading gate with the mounting points on your rifle.
 - Securely fasten the loading gate in place using the appropriate screws.
4. **Test the Loading Gate:** After installation, test the loading gate to ensure it opens smoothly and functions correctly.
5. **Loading Ammunition:**
 - Ensure that your rifle is pointed in a safe direction.
 - Open the loading gate using the recommended force.
 - Load the appropriate ammunition into the rifle.
 - Close the loading gate securely before handling the rifle further.

Disposal Instructions

- Dispose of any packaging materials responsibly and in accordance with local regulations.
- If the product reaches the end of its life cycle, dispose of it in a manner that complies with local waste disposal regulations. Do not dispose of it in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the Marlin 1894 & W 1854 "Flyweight" Easy Loading Gate, please refer to the contact information provided by your retailer or manufacturer. It is important to reach out for assistance if you encounter any issues with the product.

Thank you for following these safety instructions. Enjoy your enhanced reloading experience with the Marlin 1894 & W 1854 "Flyweight" Easy Loading Gate!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk