

# Marlin 1894 & W 1854 "Flyweight" Easy Loading Gate - Marlin 1894 Smith and Wesson 1854 Lever Action Loading Gate (Black)

[Rifle Parts](#) > [Bolt Parts](#) > [Breech Bolts & Blocks](#)

The RPP Flyweight Loading Gate makes reloading your Marlin 1894 or 1854 rifle smoother and noticeably easier. Precision-machined from premium 7075-T6 aluminum and hard-anodized for exceptional durability, it offers a significant upgrade over factory loading gates.

## Features:

Compatibility: Fits Marlin 1894 and Smith and Wesson 1854 rifles chambered in .357 Mag, .44 Mag, and .45 Colt

Lightweight Operation: Reduces spring weight by up to 70% — requiring only 1.5 lbs of force to open

Optimized Cartridge Path: Improved visibility and a smoother feeding angle for faster, more reliable loading

Quick Installation: Installs in 10-15 minutes with basic tools

Color: Silver hard-anodized finish

SASS Approved: Fully compliant with Single Action Shooting Society standards — ideal for competitive shooters

NO IMAGE  
AVAILABLE

## Attributes

- Name: [Marlin 1894 Smith and Wesson 1854 Lever Action Loading Gate \(Black\)](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014806
- Mfr. No.: 19
- Weapon type: Marlin
- Delivery weight: 0.23kg
- Shipping height: 25.4mm
- Shipping width: 152.4mm
- Shipping length: 203.2mm
- UPC: 850078124289

# Table of Contents

- Startpage
- Safety Instruction Guide for Marlin 1894 & Smith and Wesson 1854 "Flyweight" Easy Loading Gate
- About Us

# Safety Instruction Guide for Marlin 1894 & Smith and Wesson 1854 "Flyweight" Easy Loading Gate

## Introduction

Thank you for choosing the Marlin 1894 & Smith and Wesson 1854 "Flyweight" Easy Loading Gate. This product is designed to enhance your reloading experience by providing smoother and easier operation. To ensure safe and effective use, please read and follow the safety instructions outlined in this guide.

## General Safety Guidelines

- Ensure that the product is installed correctly before use.
- Always handle firearms with care and in accordance with standard safety practices.
- Keep the loading gate clean and free of obstructions to ensure proper function.
- Use only compatible firearms as specified in the product description.
- Regularly inspect the loading gate for wear or damage.
- Store the firearm in a secure location, away from children and unauthorized users.
- Report any unsafe products or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Always point the firearm in a safe direction when loading or unloading.
- Do not attempt to load or unload the firearm while it is pointed at yourself or others.
- Ensure the firearm is completely unloaded before installing or adjusting the loading gate.
- Use only the recommended force (1.5 lbs) to open the loading gate; excessive force may cause damage.
- Avoid using the loading gate in adverse weather conditions to prevent malfunction.
- If you experience any issues during operation, cease use immediately and consult a qualified gunsmith.

## Instructions for Installation and Usage

### Installation

1. **Gather Tools:** You will need basic tools for installation, such as a screwdriver and a wrench.
2. **Safety Check:** Ensure the firearm is unloaded and pointed in a safe direction.
3. **Remove Old Loading Gate:** Carefully remove the factory loading gate from your Marlin 1894 or Smith and Wesson 1854 rifle.
4. **Install Flyweight Loading Gate:** Align the new Flyweight Loading Gate with the mounting points and secure it in place.
5. **Test Functionality:** Gently operate the loading gate to ensure it opens and closes smoothly without resistance.

### Usage

- To load cartridges, gently open the loading gate using the recommended force.
- Insert the cartridges into the magazine tube, ensuring they are aligned properly.
- Close the loading gate securely after loading.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.

- Check with local waste management services for proper disposal methods for aluminum and other materials.

## Contact Information for Further Support

For more information or assistance, please refer to the manufacturer's contact details provided with your product packaging or visit the official website.

By following these safety instructions, you can ensure a safer and more enjoyable experience with your Marlin 1894 & Smith and Wesson 1854 "Flyweight" Easy Loading Gate. Thank you for prioritizing safety!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)