

# Henry Lever Takedown Screw Tool Less Cleaning - Henry Lever Takedown Screw Texas | Black Nitride

[Gunsmith Tools](#) > [Small Hardware](#) > [Metal Screws](#)

## Precision Machined, Adjustable Rifle Scope Mount Picatinny Rails - Low Profile, Built to Last and Improve Accuracy

RHINO Henry picatinny rail, Scope Mounts are currently available for Marlin and Henry lever guns. Please note that both companies have only two receiver sizes that are drilled and tapped in the same place for a rail: Pistol Caliber or Rifle Caliber. This means every model / trim level uses the same rail and all you need to know is your caliber to choose the right one (e.g. Henry X or Henry Big Boy or Henry All Weather or Marlin 1894 all use the same Picatinny rail)

NO IMAGE  
AVAILABLE

- SKU 15: Marlin Pistol Caliber Rifles (E.g. 44 Mag, 357 Mag, 45 LC)
- SKU 17: Henry Pistol Caliber Rifles (E.g. 41 Mag, 44 Mag, 357 Mag, 45 LC)
- SKU 16: Marlin/Henry Rifle Calibers (E.g. 30-30, 38-55, 35 Rem, 308, 338, 360 buckhammer, .410, 444, 45-70, 450M)

Low profile and the strongest picatinny scope mount optics rails on the market. Designed from the receiver up, these low-profile picatinny rail mount offer improved bore-to-optic positioning and eliminate movement for better accuracy even under the harshest recoil of a big bore rifle. Sight channel down the middle let's you use your rear/front sight with the rail installed.

### Picatinny Rail Features:

- RAIL HEIGHT: .28" (low rings!)
- RAIL LENGTH: 5.5" receiver flush length

-

### Attributes

- Name: [Henry Lever Takedown Screw Texas | Black Nitride](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014811
- Mfr. No.: 167
- Weapon type: Henry
- Delivery weight: 0.23kg
- Shipping height: 25.4mm
- Shipping width: 152.4mm
- Shipping length: 203.2mm
- UPC: 850078134714

# Table of Contents

- Startpage
- Safety Instruction Guide for Henry Lever Takedown Screw Tool Less Cleaning
- About Us

# Safety Instruction Guide for Henry Lever Takedown Screw Tool Less Cleaning

## Introduction

Thank you for choosing the Henry Lever Takedown Screw Tool Less Cleaning. This guide provides essential safety instructions to ensure the safe use, installation, and disposal of the product. Please read this guide carefully to understand how to use the product safely and effectively.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose as outlined in this guide.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for wear and damage before use. Do not use if any part is damaged.
- Always wear appropriate safety gear, such as eye protection, when using this product.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about product recalls and safety updates through the EU Safety Gate platform.

## Specific Safety Precautions for Use

### • Potential Hazards:

- Sharp edges may be present on the tool. Handle with care to avoid cuts.
- Improper installation may lead to equipment failure or personal injury.
- Ensure that the firearm is unloaded before installing or removing the Picatinny rail.

### • Safety Precautions:

- Always ensure the firearm is pointed in a safe direction when handling.
- Use the tool only in a welllit and clean environment to avoid accidents.
- Follow the manufacturer's instructions for the specific model of your firearm.
- Do not attempt to modify or alter the tool in any way.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather all necessary tools and components for installation.

### 2. Installation:

- Locate the receiver of your Henry or Marlin lever gun.
- Identify the drilled and tapped holes for the Picatinny rail.
- Align the rail with the holes and secure it using the provided screws. Ensure it is tightened to prevent movement.
- Verify that the rail is flush with the receiver.

### 3. Usage:

- Once installed, you can mount your scope or other optics on the Picatinny rail.
- Adjust the optics as needed for optimal sight alignment.
- Regularly check the tightness of the rail and optics during use.

#### 4. Maintenance:

- Clean the rail and tool after use to prevent corrosion and ensure longevity.
- Store the tool in a dry place away from moisture and extreme temperatures.

## Disposal Instructions

- Dispose of the product in accordance with local regulations for metal and electronic waste.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer usable, take it to a designated recycling facility.

## Contact Information for Further Support

For any inquiries or additional support regarding the Henry Lever Takedown Screw Tool Less Cleaning, please refer to the manufacturer's contact information provided on the packaging or the official website. Always ensure that you have the latest safety updates and product information.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities. Enjoy using your Henry Lever Takedown Screw Tool Less Cleaning responsibly!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)