

Rifle Dovetail Fillers Flush Ranger Point - Dovetail Blank Filler SS

[Rifle Parts](#) > [Barrel Parts](#)

Compatibility: Fits Henry, Marlin, Rossi 92, Citadel LevTac 92, Winchester 94 (centerfire calibers; not suitable for .22).

Dimensions: 3/8" (~9.5 mm) dovetail filler; Length: 22.2 mm, Width: 9.5 mm; material thickness shaped to match barrel curvature.

Material: Stainless, metal-injected steel. Weight: Lightweight yet stable – approx. 5 g.

Advantages:

Aesthetics: Fills the barrel cutout precisely and flush, with no protruding edges.

Time-Saving: Pre-profiled dovetail blanks—ready to use in minutes, no long filing required.

Easy Installation: Can be secured with Red Loctite, even with a loose fit, providing years of reliable hold.

Precision Manufacturing: Perfectly matched to the curvature of sporter and big-bore barrels

NO IMAGE
AVAILABLE

Attributes

- Name: [Dovetail Blank Filler SS](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014898
- Mfr. No.: 100
- Delivery weight: 0.03kg
- Shipping height: 6.35mm
- Shipping width: 6.35mm
- Shipping length: 6.35mm
- UPC: 850078124852

Table of Contents

- Startpage
- Safety Instruction Guide for Rifle Dovetail Fillers Flush Ranger Point Dovetail Blank Filler SS
- About Us

Safety Instruction Guide for Rifle Dovetail Fillers

Flush Ranger Point Dovetail Blank Filler SS

Introduction

Thank you for choosing the Rifle Dovetail Fillers Flush Ranger Point Dovetail Blank Filler SS. This guide provides important safety instructions and information to ensure the safe and effective use of this product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the product is compatible with your firearm model before use. This filler fits Henry, Marlin, Rossi 92, Citadel LevTac 92, and Winchester 94 (centerfire calibers; not suitable for .22).
- Always handle firearms responsibly and in accordance with local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Inspect the filler for any damage before installation. Do not use if damaged.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Use protective eyewear when installing the dovetail filler to avoid injury from metal shavings or debris.
- Ensure that the firearm is unloaded and pointed in a safe direction before beginning installation.
- Avoid using excessive force when securing the filler to prevent damage to the firearm or the filler itself.
- If using Red Loctite for installation, follow the manufacturer's instructions carefully to ensure proper adhesion.
- Do not attempt to modify the filler or the firearm in any way that could compromise safety.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and in a safe position.
- Gather necessary tools, including a cleaning cloth, Red Loctite, and a small tool for securing the filler.

2. Cleaning the Area

- Clean the dovetail cutout on the firearm to remove any debris or old adhesive.
- Use a cleaning cloth to ensure a smooth surface for installation.

3. Fitting the Filler

- Insert the dovetail filler into the cutout, ensuring it fits flush without any protruding edges.
- Check that the filler matches the curvature of the barrel.

4. Securing the Filler

- Apply a small amount of Red Loctite to the filler as per the manufacturer's instructions.
- Press the filler into place and hold it for a few moments to ensure contact.
- Allow the adhesive to cure according to the manufacturer's recommendations.

5. Final Inspection

- Inspect the installation to ensure that the filler is secure and flush with the barrel.

- Perform a final safety check on the firearm before use.

Disposal Instructions

- Dispose of any unused or damaged product in accordance with local regulations for metal products.
- Do not dispose of the product in household waste. Check for local recycling options or hazardous waste disposal sites.

Contact Information for Further Support

For safety inquiries or further assistance, please refer to the EU contact point for consumer safety. Ensure you have the product details available when seeking support.

By following these safety instructions, you can ensure a safe and effective experience with your Rifle Dovetail Fillers Flush Ranger Point Dovetail Blank Filler SS. Thank you for your attention to safety and responsible firearm use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk